

Let's *grow*
together

i forte
premium
ARCHITECTURAL HARDWARE EXPERTS



CHOOSE US...
CHOOSE QUALITY...



PRODUCT CATLOGUE

ABOUT FORTE

FORTE HAS BEEN AN EXPERT ALUMINIUM HARDWARE BRAND. OUR MAIN PRODUCTS INCLUDE A VARIETY OF ALUMINIUM ACCESSORIES, WHICH ARE APPLIED WIDELY IN ALUMINIUM WINDOWS & DOORS.

WE ARE A TEAM OF EXPERIENCED TECHNICAL, MARKETING AND COMMERCIAL PERSONS WITH EXPERTISE TO OFFER TECHNICAL SERVICE IN EACH SEGMENT. WE HAVE DEVELOPED A LARGE BASE OF SATISFIED CUSTOMERS AND IT IS EVER ENLARGING. THE COMPANY IS BASED ON STRICT CODE OF ETHICS IS EVIDENT IN ITS DEALING WITH ALL ITS PARTNERS - NAMELY EMPLOYEES, TRADE ASSOCIATE, VENDORS AND CUSTOMERS.

FORTE IS ADAPTING ITSELF TO MEET MARKET FORCES AND IS MAINTAINING HIGH - SPEED GROWTH WITHIN A FIERCE MARKET OF COMPETITION. OUR SALES NETWORK SPREADS ALL OVER INDIA AS WELL AS TO THE INTERNATIONAL MARKET.

WE AT FORTE DEEPLY UNDERSTAND THAT HIGH QUALITY PRODUCTS COME AS A RESULT OF THE COMBINATION OF USING ADVANCE EQUIPMENT AND FIRST CLASS SKILL FOR PRODUCTION. IN THIS RAPIDLY DEVELOPING ECONOMY, FORTE WILL KEEP OFFERING HIGH QUALITY PRODUCTS AND SUPERIOR SERVICE.

We look forward to work with you.....!!!



FORTE MISSION




Support research for a better tomorrow and share technical / commercial information to link the Producers and Consumers globally.







FORTE VISION

Achieving "excellence through quality" by continuously improving the value of the products and service that we provide to our customers







WEATHER STRIP



the best *Preparation*
for tomorrow *is doing your best Today*

WOOL PILE



F-01

F-01A	062x400x3p	Colour : Grey / Black	Packing : 250mx8Roll
F-01B	068x500x3p	Grey / Black	250mx8Roll
F-01C	048x500x3p	Grey / Black	250mx8Roll
F-01D	048x600x3p	Grey / Black	225mx8Roll
F-01E	060x600x3p	Grey / Black	225mx8Roll
F-01F	068x600x3p	Grey / Black	225mx8Roll
F-01G	068x700x3p	Grey / Black	225mx8Roll
F-01H	068x800x3p	Grey / Black	225mx8Roll
F-01I	068x900x3p	Grey / Black	125mx8Roll
F-01J	084x900x3p	Grey / Black	125mx8Roll

WOOL PILE SILICATED



F-02

F-02A	Size : 068x500x4p	Colour : Grey / Black	Packing : 250mx8Roll
F-02B	048x500x4p	Grey	250mx8Roll
F-02C	060x600x4p	Grey	225mx8Roll
F-02D	048x600x4p	Grey	225mx8Roll
F-02E	068x600x4p	Grey	225mx8Roll
F-02F	068x700x4p	Grey	225mx8Roll
F-02G	068x800x4p	Grey	225mx8Roll
F-02H	048x1000x4p	Grey	125mx4Roll
F-02I	060x1000x4p	Grey	125mx4Roll
F-02J	068x1200x4p	Grey	125mx4Roll

WOOL PILE WITH PVC FIN



F-03

F-03A	Size : 068x500x500x4p	Colour : Grey	Packing : 125mx4Roll
F-03B	068x550x600x4p	Grey	125mx4Roll
F-03C	048x600x600x4p	Grey	225mx8Roll
F-03D	060x600x600x4p	Grey	225mx8Roll
F-03E	068x600x600x4p	Grey	225mx8Roll
F-03F	068x600x650x4p	Grey	225mx8Roll
F-03G	048x1000x1000x4p	Grey	125mx4Roll
F-03H	060x1000x1000x4p	Grey	125mx4Roll
F-03 I	068x1200x1200x4p	Grey	125mx4Roll

WEATHER STRIP

WOOL PILE WITH FABRIC FIN



F-04

F-04A	Size : 068x550x700x4p	Colour : Grey	Packing : 125mx4Roll
F-04B	068x650x800x4p	Grey	125mx4Roll
F-04C	068x750x900x4p	Grey	125mx4Roll

WOOL PILE WITH BRISTLE



F-05

F-05A	Size : 048x700x4p	Colour : Black	Packing : 125mx4Roll
F-05B	048x800x4p	Black	125mx4Roll
F-05C	048x900x4p	Black	125mx4Roll
F-05D	048x1000x4p	Black	125mx4Roll
F-05E	048x1200x4p	Black	125mx4Roll

WOOL PILE WITH ADHESIVE



F-06

F-06A	Size : 068x900	Colour : Grey	Packing : 125mx4Roll
F-06B	090x500	Grey	125mx4Roll

WIRE MESH



SUCCESS IS NOT GIVEN..
IT IS EARNED – WITH BLOOD, SWEAT & THE OCCESIONAL TEAR...

WIRE MESH

ALUMINIUM WIRE MESH



F-011

14 x 14, 18 x 16

Material : Aluminium Alloy


Colour : SS Finish / Bright Finish / Black Finish

Available Size : 2? / 2.5? / 3? / 3.5? / 3.75? / 4? / 4.5/ 5?. / 6?

Length : 30 meters long

Packing : 1 roll in box

STAINLESS STEEL WIRE MESH



F-012

Material : Stainless Steel 202, 304

Mesh Count : 18x16, 16x30, 18x32

Colour : SS Finish / Black Finish

Available Size : 2? / 2.5? / 3? / 4? / 5?.

Length : 30meters large

Packing : 1 roll in box

FIBERGLASS MESH



F-013

18x16 / 120 GSM

Material : Fiber Glass

Colour : Black / Ivory / Grey / White

Available Size : 3? / 4? / 5?.

Length : 30 meters

Packing : 10 roll Bag



SILICONE SEALANT



PEOPLE ARE LONELY BECAUSE
THEY BUILD WALLS INSTEAD OF BRIDGES

SILICONE SEALANT

GENERAL PURPOSE SILICONE (FORTE PREMIUM)

F-021



Colour : Clear / white / Black
Packing : 24pc in one box
Weight : 285 gram

GENERAL PURPOSE SILICONE (FORTE LITE)

F-022



Colour : Clear / white / Black
Packing : 24pc in one box
Weight : 245 gram

NEUTRAL WEATHERPROOF SILIOCONE (FORTE)

F-023



Colour : Clear / white / Black
Packing : 24pc in one box
Weight : 400 gram

NEUTRAL WEATHERPROOF SILIOCONE (FORTE)

F-024



Colour : Clear / white / Black
Packing : 20pc in one box
Weight : 760 gram



FRICTION STAY



THE ROAD TO **SUCCESS** IS ALWAYS
UNDER CONSTRUCTION

ROUND GROVE FRICTION STAY

F-031



Made Of : SS 202

Size Available : 8" / 10" / 12" / 14" / 16"

Packing : 50 Pairs/Box,

(Size : 8" / 10" / 12" / 14" / 16")

18" / 20" / 24"

20 Pairs Box

Size : 18" / 20" / 24"

SQUARE GROVE FRICTION STAY

F-032



Made of : SS 202

Size Available : 8" / 10" / 12" / 14" / 16" / 18" / 20" / 24"

Packing : 50 Pairs/Box,

(Size : 8" / 10" / 12" / 14" / 16")

20 Pairs Box

Size : 18" / 20" / 24"

WIND BRAKING ARM

F-033



Made of : SS 202

Size Available : 8" / 10" / 12"

Packing : 50 Pairs/Box,

(Size : 8" / 10" / 12")

UPVC HANDLE



YOUR ATTITUDE, NOT YOUR APTITUDE,
WILL DETERMINE YOUR ALTITUDE.

ALUMINIUM UPVC WINDOW HANDLE


CASEMENT WINDOW HANDLE



F-038

Usage : Sliding And Outward Casement
Colour : White / Black
Handle Material : Aluminium Alloy
Seat Material : Zinc Alloy
Surface Treatment : Powder Coated
Packing : 2 Pcs In Box / 100 Pcs In Carton


CASEMENT WINDOW HANDLE WITH KEY



F-039

Usage : Sliding And Outward Casement
Colour : White / Black
Handle Material : Aluminium Alloy
Seat Material : Zinc Alloy
Surface Treatment : Powder Coated
Packing : 2 Pcs In Box / 100 Pcs In Carton


SASH JAMMER



F-040

Usage : Top of hung or outward casement
Colour : White / Black
Handle Material : Aluminium alloy
Seat Material : Zink alloy
Surface Treastment Powder Coated
Packing : 2 pcs in box/100 pcs in cartoon

BULLET HANDLE




F-041

Usage : Top of hung or outward Casement
Colour : White / Black
Handle Material : Aluminium alloy
Seat Material : Zink alloy
Surface Treatment : Powder Coated
Packing : 2 Pcs. in Box / 100 Pcs. in carton

ALUMINIUM UPVC WINDOW HANDLE

SASH JAMMER



F-042



Usage : Top of hung or outward Casement
 Colour : White / Black
 Handle Material : Aluminium alloy
 Seat Material : Zink alloy
 Surface Treatment : Powder Coated
 Packing : 2 Pcs. in Box / 100 Pcs. in carton

CASEMENT WINDOW HANDLE


F-043



Usage : outward Casement
 Colour : White / Black
 Handle Material : Aluminium alloy
 Seat Material : Aluminium alloy
 Surface Treatment : Powder Coated
 Packing : 2 Pcs. in Box / 100 Pcs. in carton

CASEMENT WINDOW HANDLE


F-043A



Usage : Outward Casement And Sliding
 Colour : White / Black
 Handle Material : Aluminium Alloy
 Seat Material : Aluminium Alloy
 Surface Treatment : Powder Coated
 Packing : 2 Pcs In Box/ 100 Pcs In Carton

PUSH HANDLE FOR WINDOW

F-044




Usage : Outward Casement
 Colour : White / Black
 Handle Material : Aluminium alloy
 Surface Treatment : Powder Coated
 Packing : 2 Pcs. in Box / 100 Pcs. in a carton



POP UP HANDLE


F-045



Usage : Sliding or outward Casement
 Colour : White / Black
 Handle Material : Zink alloy
 Surface Treatment : Powder Coated
 Packing : 5Pcs. in Box / 100 Pcs. in a carton

MULTIPOINT LOCK HANDLE


F-046



Usage : For mul?point locking System
 Colour : White / Black
 Handle Material : Aluminium alloy
 Surface Treatment : Powder Coated
 Packing : 2 Pcs. in Box / 100 Pcs. in a carton

MULTIPOINT LOCK HANDLE


F-047



Usage : For mul?point locking System
 Colour : White / Black
 Handle Material : Aluminium alloy
 Surface Treatment : Powder Coated
 Packing : 2 Pcs. in Box / 100 Pcs. in a carton



TWO POINT LOCK HANDLE

F-048



Usage : Two point locking System
 Colour : White / Black
 Handle Material : Aluminium alloy
 Surface Treatment : Powder Coated
 Packing : 2 Pcs. in Box / 100 Pcs. in a carton


D HANDLE FOR DOOR



Usage : Used in Sliding Doors
 Colour : White / Black
 Handle Material : Aluminium alloy
 Surface Treatment : Powder Coated
 Packing : 20 Pcs. in a carton

F-049

CASEMENT 30 MM HANDLE SET WITH CYLINDER



Usage : Uses in Doors
 Colour : White / Black
 Handle Material : Zink alloy
 Surface Treatment : Powder Coated
 Packing : 20 Pcs. in a carton

F-050




UPVC ROLLER



YOU ARE NEVER TOO OLD TO SET
ANOTHER GOAL, OR TO DREAM A NEW DREAM

DOUBLE ROLLER WITH GROVE MOVEABLE METAL WHEEL


F-051



Load capacity : 55 kg / pair
Frame Material : Zink alloy
Wheel Material : Steel wheel
Surface Treatment : Chrome Plated
Packing : 500 Pcs. / Box

DOUBLE ROLLER WITHOUT GROVE MOVEABLE METAL WHEEL


F-052



Load capacity : 55 kg / pair
Frame Material : Zink Alloy
Wheel Material : Steel Wheel
Surface Treatment : Chrome Plated
Packing : 500 Pcs. / Box

DOUBLE ROLLER WITH GROVE METAL WHEEL


F-053



Load capacity : 55 kg / pair
Frame Material : Zink Alloy
Wheel Material : Steel Wheel
Surface Treatment : Zink Plated
Packing : 500 Pcs. /Box

DOUBLE ROLLER WITH GROVE MOVEABLE METAL WHEEL

F-054




Load capacity : 55 kg / pair
Frame Material : SS 201
Wheel Material : Nylon
Surface Treatment : Chrome Plated
Packing : 500 Pcs. /Box



DOUBLE ROLLER WITHOUT GROVE MOVEABLE NYLON WHEEL


F-55



Load capacity : 55 kg / pair
Frame Material : SS 201
Wheel Material : Nylon
Surface Treatment : Chrome Plated
Packing : 500 Pcs. / Box

SINGLE ROLLER WITH GROVE METAL WHEEL


F-56



Load capacity : 35 kg / pair
Frame Material : Zink Alloy
Wheel Material : Steel Wheel
Surface Treatment : Chrome Plated
Packing : 1000 Pcs. / Box

SINGLE ROLLER WITHOUT GROVE METAL WHEEL


F-057



Load capacity : 35 kg / pair
Frame Material : Zink Alloy
Wheel Material : Steel Wheel
Surface Treatment : Chrome Plated
Packing : 1000 Pcs. / Box

SINGLE ROLLER WITH GROVE NYLON WHEEL

F-058




Load capacity : 35 kg / pair
Frame Material : Zinc Alloy
Wheel Material : Nylon
Surface Treatment : Chrome Plated
Packing : 1000 Pcs. / Box

UPVC ROLLER

SINGLE ROLLER WITH GROVE NYLON WHEEL


F-059



Load capacity : 40 kg / pair
Size: 16mm
Frame Material : SS 201
Wheel Material : Nylon
Surface Treatment : Chrome Plated
Packing : 1000 Pcs. /Box

SINGLE ROLLER WITHOUT GROVE NYLON WHEEL


F-060



Load capacity : 40 kg / pair
Size: 16mm
Frame Material : SS 201
Wheel Material : Nylon
Surface Treatment : Chrome Plated
Packing : 1000 Pcs. /Box

SINGLE ROLLER WITH GROVE NYLON WHEEL



F-061



Load capacity : 45 kg / pair
Frame Material : SS 201
Wheel Material : Nylon
Surface Treatment : Chrome Plated
Packing : 1200 Pcs. / Box

MESH ROLLER WITH BRASS WHEEL

F-062




Load capacity : 15kg / pair
Size : 10 mm
Frame Material : Plastic
Wheel Material : Brass Wheel
Packing : 6000 Pcs. / Box



UPVC ROLLER

MESH ROLLER WITH NYLON WHEEL


F-063



Load capacity : 15kg / pair
Frame Material : SS 201
Wheel Material : Nylon Wheel
Packing : 2400 Pcs. / Box

ADJUSTABLE DOOR ROLLER WITH GROVE (2) COPPER WHEEL


F-064



Load capacity : 90 kg / pair
Frame Material : SS 201
Wheel Material : Copper Wheel
Surface Treatment : Zink Plated
Packing : 200 Pcs. /Box

ADJUSTABLE DOOR ROLLER WITH GROVE (2) NYLON WHEEL



F-065



Load capacity : 90 kg / pair
Frame Material : SS 201
Wheel Material : Nylon Wheel
Surface Treatment : Zink Plated
Packing : 200 Pcs. /Box

ADJUSTABLE DOOR ROLLER WITH GROVE (4) NYLON WHEEL


F-066



Load capacity : 120 kg / pair
Frame Material : SS 201
Wheel Material : Nylon Wheel
Surface Treatment : Zink Plated
Packing : 200 Pcs. /Box

SINGLE ROLLER WITH GROVE NYONE WHEEL (14 MM)

F-067



Load Capacity : 35kg / Pair
Size : 14 MM
Frame Material : SS201
Wheel Material : Nylon
Surface Treatment : Chrome Plated
Packing : 1000 Pcs/box



UPVC HINGES



LET US SACRIFICE OUT TODAY
SO THAT OUR CHILDREN CAN HAVE A BETTER TOMORROW



UPVC HINGES

BUTT HINGE Z SERISE

F-071




Material : Aluminium
Packing : 10 Pcs. in a Box /
200 Pcs. in Carton





Material : Aluminium
Packing : 10 Pcs. in a Box /
200 Pcs. in Carton

BUTT HINGE HEAVY DUTY

F-072





Material : Aluminium
Packing : 10 Pcs. in a Box /
200 Pcs. in Carton



Material : Aluminium
Packing : 10 Pcs. in a Box /
200 Pcs. in Carton

COBRA HINGE Z SERISE


[illegible]

Material : Aluminium
Packing : 10 Pcs. in a Box /
200 Pcs. in Carton

BUTT HINGE EURO SERISE

F-074

Material : Aluminium
Packing : 10 Pcs. in a Box /
200 Pcs. in Carton



Material : Aluminium
Packing : 10 Pcs. in a Box /
200 Pcs. in Carton

WINDOW LOCKS



EVER TRIED.. EVER FAILED.
NO MATTER.. FAIL AGAIN... FAIL BETTER.

WINDOW LOCKS

FORTE PREMIUM HOOK LOCK FOR WINDOW


F-081



Color : white / black / Champagne Gold
Body : Aluminium alloy
Packing : 1 pair box / 50 pair in a carton.

FORTE PREMIUM HOOK LOCK FOR WINDOW WITH KEY

F-082



Color : white / black / Champagne Gold
Body : Aluminium alloy
Packing : 1 pair box / 50 pair in a carton.

TOUCH LOCK FOR UPVC WINDOW

F-083



Color : white / black
Body : Aluminium alloy
Packing : 1 pair box / 50 pair in a carton.

PUSH LOCK

F-084



Color : White / Black
Body : Aluminium Alloy
Packing : 1 Pair Box / 50 Pair In A Carton



WINDOW LOCKS

FORTE PREMIUM SMALL HOOK LOCK

F-085



Color : White / Black
Body : Aluminium Alloy
Packing : 1 Pair Box / 50 Pair in a Carton

CONCEAL SLIDING WINDOW LATCH (ZINC)

F-086



Color : White / Black / Ivory / Brown / Gold
Body : Zinc
Packing : 1 Pair Box / 400 Pair in a Carton

CONCEAL SLIDING WINDOW LATCH (ALUMINIUM)

F-087



Color : White / Black / Ivory / Brown / Gold
Body : Aluminium
Packing : 1 Pair Box / 400 Pair in a Carton

FLUSH TOWER BOLT

F-089



Color : White / Black
Body : Aluminium Alloy
Surface : Powder Coating
Packing : 5 Pc in Inner Box / 100 Pc Carton

CONCEALED TOWER BOLT

F-090




Color : White / Black
Body : Aluminium Alloy
Surface : Powder Coating
Packing : 5 Pc In Inner Box / 100 Pc Carton

ESPAG ROD



IF YOU DON'T BUILD YOUR DREAM,
SOME ONE ELSE WILL HIRE YOU TO HELP THEM BUILD THEIR'S

CASEMENT ESPAG ROD



F-091

Backset : 22 mm
Length : 400mm- 2000mm
Packing : 40 sets / Box
Material : Zink Die Cast


SLIDING AND OPENABLE ESPAG ROD



F-092

Backset : 7.5 mm
Length : 400mm- 2000mm
Packing : 40 sets / Box
Material : Zink Die Cast

CASEMENT ESPAG ROD



F-093

Backset : 20 mm
Length : 400mm- 2000mm
Packing : 40 sets / Box
Material : Zink Die Cast

ALUMINIUM ROD



F-094

Length : 400mm- 1200mm
Packing : 100 Pcs. in carton
Material : Aluminium

BEARING



SPEED IS USEFUL ONLY IF YOU ARE RUNNING
IN THE RIGHT DIRECTION...

625 zz BEARING

F-101



Material : Carbon / Chrome Steel
Surface Treatment : Chrome plated
Load capacity : 35kg
Packing : 100pcs in box / 4000pcs in carton

626 zz BEARING

F-102



Material : Carbon / Chrome Steel
Surface Treatment : Chrome plated
Load capacity : 35kg
Packing : 100pcs in box / 4000pcs in carton

608 zz BEARING

F-103



Material : Carbon / Chrome Steel
Surface Treatment : Chrome plated
Load capacity : 55kg
Packing : 100pcs in box / 2000pcs in carton

695 zz BEARING

F-104



Material : Carbon / Chrome Steel
Surface Treatment : Chrome plated
Load capacity : 25kg
Packing : 100pcs in box / 5000pcs in carton



FLOOR SPRING SERIES



A SATISFIED CUSTOMER IS THE
BEST BUSINESS STRATEGY OF ALL



Floor spring series

Inside floor spring

F-201

Technical data

Dimensions : 253x103x50mm
 Loading weight to 90KGS
 Over 500,000cycles tested
 Suitable for door width : 800-1100mm
 Hold open op?on at 90°/135°
 S.S. 304 cover, 1.2mm thick cover
 Packing : 4pcs in carton





Inside floor spring

F-202

Technical data

Dimensions : 310x107x44mm
 Loading weight to 120KGS
 Over 500,000cycles tested
 Suitable for door width : 800-1000mm
 Hold open op?on at 90°/135°
 S.S. 304 cover, 1.2mm thickness cover
 Packing : 4pcs in carton



Floor spring series

Outside floor spring Combo set

F-205

Technical data

Dimension: 253x103x50mm

Loading Weight Up To 90° Kgs

Over 500,000 Cycles Tested

Suitable Floor Door Width: 800-1100mm

Hold Open Op?on At 90°/135°

S.S. 304 Cover, 1.2 Mm Thick Cover

Packing: 4 Set In Carton



Outside floor spring Combo set

F-206

Technical Data

Dimension: 310x107x44mm

Loading Weight Up To 120 Kgs

Over 500,000 Cycles Tested

Suitable Floor Door Width: 800-1100mm

Hold Open Op?on At 90°/135°

S.S. 304 Cover, 1.2 Mm Thick Cover

Packing: 4 Set In Carton



Accessories



Outside Hydraulic Ptach

F-203

Technical data

Dimensions : 170x55x35mm
Loading weight to 90KGS
Over 5,00,000 cycles Tested
Suitable for door width : 750-1000mm
Suitable for temperature -20 -+50
Max open Degree 115°
Packing : 6 pcs in carton



Outside Hydraulic Ptach

F-204

Technical data

Dimensions : 190x70x40mm
Loading weight to 100KGS
Over 5,00,000 cycles Tested
Suitable for door width : 750-1000mm
Suitable for temperature -20 -+50
Max open Degree 115°
Packing : 6 pcs in carton



DOOR CLOSER



THE ONLY WAY YOU ARE GOING TO HAVE
SUCCESS IS TO HAVE LOTS OF FAILURES FIRST.

DOOR CLOSER

Middle Hexagonal

Technical data

Loading weight capacity : 45-65 kg
 Colour : Silver Finish
 Body : 3,00,000 Lac ?re cycle tasted
 Packing : 1pc in inner box / 10 pcs outer carton


F-211



Regular Door Closer


Technical data

Loading weight capacity : 45-65 kg
 Colour : Silver Finish
 Body : 3,00,000 lac ?re cycle tasted
 Packing : 1pc in inner box / 10 pcs outer carton



F-212

CONCEALED DOOR CLOSER



Technical data

Loading weight capacity : 45-65 kg
 Colour : Silver Finish
 Body : 3,00,000 lac ?re cycle tasted
 Packing : 1pc in inner box / 10 pcs outer carton

F-213



PATCH FITTING



IT'S VERY EASY TO BE DIFFERENT,
BUT VERY DIFFICULT TO BE BETTER.

PATCH FITTING

Bottom patch



F-221



Technical data

Size : 164x51x31mm
S.S. 304 cover plate
Finish : Satin finish
Packing : 1 pc in inner box /
20 pcs outer carton

Secured on the bottom of the door leaf to accept the spindle of floor springs



Top patch



F-222



Technical data

Size : 164x51x31mm
S.S. 304 cover plate
Finish : Satin finish
Packing : 1 pc in inner box /
20 pcs outer carton

Secured on the top of the door leaf to accept the spindle of JPE-40 with Plastic socket of 15.2mm diameter



Wall Patch with 4 holes iron plate



F-223



Technical data

Size : 164x51x31mm
S.S. 304 cover plate
Finish : Satin finish
Packing : 1 pc in inner box /
20 pcs outer carton

To secure over panel with the wall with a pivot pin of 15mm diameter



Big "L" patch



F-224



Technical data

Size : 218x106x51mm
S.S. 304 cover plate
Finish : Satin finish
Packing : 1 pc in inner box /
20 pcs outer carton

Adjustable pivot point of 53/63mm connect with over panel and side panel



PATCH FITTING

Small “L” patch




F-225

A white, L-shaped door pull with a black grip. The pull is shown in a perspective view, highlighting its clean, modern design.

Technical data

Size : 106x53xmm
S.S. 304 cover plate
Fisnish : Sa?n finish
Packing : 2 pc in inner box /
40 pcs outer carton

Patch to secure the over panel and side panel at the opening edge of the door




Single connector

F-226

Technical data

Size : 53x71mm
S.S. 304 cover plate
Finish : Satin finish
Packing : 2 pc in inner box /
40 pcs outer carton

For integrating a maximum of four named or fixed glasses





Double connector

F-227

Technical data

Size : 53x62mm
S.S. 304 cover plate
Finish : Satin finish
Packing : 2 pc in inner box /
40 pcs outer carton

For integrating a maximum of four named or fixed glasses



Over panel 'L' patch with fin (r door)




F-228

A corner bracket made of polished metal, designed to join two surfaces at a 90-degree angle. It features a central screw for tightening.

Technical data

door thickness: used for 10mm
to 12mm glass




S.S. 304 cover plate
Finish : Satin finish
Packing : 8 pcs in carton



PATCH FITTING

Over panel 'L' patch with fin (l door)

F-229




Technical data

door thickness:
used for 10mm
to 12mm glass

Finish of the cover plate:
sa?n stainless steel (sss)

Double door patch with fin

F-230



Technical data

door thickness:
used for 10mm
to 12mm glass

Finish of the cover plate:
sa?n stainless steel (sss)

S. S. Top Pivot

F-231



Technical data

Size : 106x53mm
S.S. 304 body
Finish : Sa?n finish
Packing : 250pcs per carton

PATCH LOCKS



HAPPY EMPLOYEES LEAD TO HAPPY CUSTOMER,
WHICH LEADS TO MORE PROFITS.

PATCH LOCKS

Bo?om Lock

F-241



Technical data



Size : 164x51x31mm

S.S. 304 cover plate

Finish : Sa?n finish

Packing : 1 pc in inner box /
20 pcs outer carton

Three set of high security computer keys



Glass to glass Lock (Round)

F-242



Technical data


One side brass key one side knob

S.S. 304 cover plate

Finish : Sa?n / Chrome

Packing : 2 pc in inner box /
40 pcs outer carton

Three set of high security computer key



High qualified stainless steel glass door lock,
with pure brass lock cylinder Suitable for 10-12mm
toughened glass

Wall to glass lock (Round)

F-243



Technical data


One side brass key one side knob

S.S. 304 cover plate

Finish : Sa?n / Chrome

Packing : 2 pc in inner box /
40 pcs outer carton

Three set of high security computer key



High qualified stainless steel glass door lock,
with pure brass lock cylinder Suitable for 10-12mm
toughened glass



Glass to glass Lock one side knob

F-244



Technical Data

Glass To Glass Lock With One Side Knob Only
S.S. 304 Cover Plate
Finishing : Sa?n/ Chrome
Packing : 2 Pc In Inner Box / 20 Pcs Outer Carton

High Qualified Stainless Steel Glass Door Lock,
Suitable For 10-12mm Toughened Glass.

Wall to glass Lock one side knob

F-245



Technical Data

Wall To Glass Lock With One Side Knob Only
S.S. 304 Cover Plate
Finishing : Sa?n/ Chrome
Packing : 2 Pc In Inner Box / 20 Pcs Outer Carton

High Qualified Stainless Steel Glass Door Lock,
Suitable For 10-12mm Toughened Glass.

Glass to glass lock

F-246



Technical Data

Glass To Glass Lock With One Side Brass Key And One Side Knob.
S.S. 304 Cover Plate
Finishing : Sa?n/ Chrome
Packing : 2 Pc In Inner Box / 20 Pcs Outer Carton
Three set of high security computer key

Hight Qualified Stainless Steel Glass Door Lock,
With Brass Lock Cylinder Suitable For 10-12mm Toughened Glass.

Wall to glass lock

F-247



Technical Data

Wall To Glass Lock With One Side Brass Key And One Side Knob.
S.S. 304 Cover Plate
Finishing : Sa?n/ Chrome
Packing : 2 Pc In Inner Box / 20 Pcs Outer Carton
Three set of high security computer key

Hight Qualified Stainless Steel Glass Door Lock,
With Brass Lock Cylinder Suitable For 10-12mm Toughened Glass.

SHOWER HINGE SERIES



THE ONLY STRATEGY THAT GUARANTEED
TO FAIL IS NOT TAKING RISK.

Wall to glass 90° shower hinge, single side





F-251

Technical data

Door thickness can be from : 8mm to 12mm
Finish : SS / CP
Door width scale : 800- 1000mm
loading weight based on pair : 40kgs

Stainless steel Shower hinge economy series have all casting, punching, stamping and casting of different process
The door will close automatically when it closes back at 25°



Glass to glass 180° shower hinge , Double side





F-252

Technical data

Door thickness can be from : 8mm to 12mm
Finish : SS / CP
Door width scale : 800- 1000mm
loading weight based on pair : 40kgs

Stainless steel Shower hinge economy series have all casting, punching, stamping and casting of different process
The door will close automatically when it closes back at 25°



Glass to glass 135° shower hinge , Double side





F-253

Technical data

Door thickness can be from : 8mm to 12mm
Finish : SS / CP
Door width scale : 800- 1000mm
loading weight based on pair : 40kgs

Stainless steel Shower hinge economy series have all casting, punching, stamping and casting of different process
The door will close automatically when it closes back at 25°



Glass to glass 90° shower hinge , Double side





F-254

Technical data

Door thickness can be from : 8mm to 12mm
Finish : SS / CP
Door width scale : 800- 1000mm
loading weight based on pair : 40kgs

Stainless steel Shower hinge economy series have all casting, punching, stamping and casting of different process
The door will close automatically when it closes back at 25°



GLASS DOOR BIG HANDLE



EVERY PROBLEM IS A GIFT,
WITHOUT PROBLEM WE WOULD NOT GROW.

GLASS DOOR BIG HANDLE

Glass door big handle (S Type)

F-261



Technical data

Size : 19x300mm, 25x400mm, 32x600mm, 32x800

Material : S. S. 304

Uses : 9-12mm thickness glass door, 18-50mm thickness wooden door
(With wooden door)

Main process : Cu?ng , Drilling, Welding, Finishing, Packing

Glass door big handle

F-262



Technical data

Size : 19x200mm, 19x400mm, 25x300mm, 25x500

Material : S. S. 304

Uses : 9-12mm thickness glass door, 18-50mm thickness wooden door
(With wooden door)

Main process : Cu?ng , Drilling, Welding, Finishing, Packing

Glass door big handle (H Type)

F-263



Technical data

Size : 32x500mm, 38x600mm, 38x800mm

Material : S. S. 304

Uses : 9-12mm thickness glass door, 18-50mm thickness wooden door
(With wooden door)

Main process : Cu?ng , Drilling, Welding, Finishing, Packing

Features :

Rust-proof high quality stainless material

24 hours salt-sprey rest

Customized weight as request

Remark : Size, Finishing can be Custmized OEM, ODM are welcome



HYDRAULIC GAS SPRING



STRENGTH AND GROWTH COME ONLY THROUGH
CONTINUOUS EFFORT AND STRAGGLE.

HYDRAULIC GAS SPRING

Basic up gas spring

F-271



Technical data

Size : 5/10\15\20\25\30\35\kg

Material : S. S. 304

Packing : 50 sets /Box

Colour : Silver

Basic up gas spring

F-272



Technical data

Size : 5/10\15\20\25\30\35\kg

Material : S. S. 304

Packing : 50 sets /Box

Colour : Silver



HYDRAULIC HINGES & NON-HYDRAULIC HINGES



THE BIGGER THE CHALLENGE,
THE BIGGER THE OPPORTUNITY

HYDRAULIC HINGES & NON-HYDRAULIC HINGES

Hydraulic Hinges : Clip one type (So? Close)

F-281



Technical data

Type : Full over leg - 0 Crank

Half over leg - 8 Crank

Insert - 15 Crank

Packing : 2 pcs in poly bag with 12 pcs screw and arms cover.

10 sets in a inner box

100 pcs in a outer carton.

Finish : Nicle plated

Opening angle : 100 degree

Material : Cold rolled steel

80,000 cycles tasted

Non-Hydraulic Hinges

F-282



Technical data

Type : Full over leg - 0 Crank

Half over leg - 8 Crank

Insert - 15 Crank

Packing : 2 pcs in poly bag with 12 pcs screw

100 pcs in a outer carton.

Finish : Nicle plated

Opening angle : 100 degree

Material : Cold rolled steel

80,000 cycles tasted



DRAWER CHANNEL



DRAWER SLIDE

SUCCESS IS WHERE PREPARATION
AND OPPORTUNITY MEET

DRAWER CHANNEL

Telescopic channel - Premium series

F-291



Technical data

Weight capacity : 35kgs
Material : Hardened cold rolled steel
Finish : Electro zink, plated / black finish
Size : 8/10/12/14/16/18/20/22
Packing : 15 pair per carton
5,00,000 cycles tasted

Telescopic channel - lite series

F-292



Technical data

Weight capacity : 35kgs
Material : Hardened cold rolled steel
Finish : Electro zink, plated / black finish
Size : 8/10/12/14/16/18/20/22
Packing : 20 pair per carton
5,00,000 cycles tasted




GLASS CONNECTOR



POSITIVE IS THE BIGGEST FORM OF ENERGY...
BE POSITIVE, BE ENERGETIC


GLASS CONNECTOR

FIX CLIP




Feature: For Floor/Wall To Glass Fix Connector
Material: Brass
Door Thickness: 6mm To 12mm
Finish: Brushed Nickel (BN)
 Bright Chrome Plated (CP)

135° GLASS TO GLASS




Feature: For 135° Glass To Glass Fixing Connector
Material: Brass
Door Thickness: 6mm To 12mm
Finish: Brushed Nickel (BN)
 Bright Chrome Plated (CP)

90° GLASS TO GLASS



Feature: For 90° Glass To Glass Fixing Connector
Material: Brass
Door Thickness: 6mm To 12mm
Finish: Brushed Nickel (BN)
 Bright Chrome Plated (CP)

90° WALL TO GLASS




Feature: For 90° floor/wall To Glass Fixing Connector
Material: Brass
Door Thickness: 6mm To 12mm
Finish: Brushed Nickel (BN)
 Bright Chrome Plated (CP)



GLASS CONNECTOR

180°GLASS TO GLASS




Feature: For 180°Glass To Glass Fixing Connector

Material: Brass

Door Thickness: 6mm To 12mm

Finish: Brushed Nickel (BN)
Bright Chrome Plated (CP)

180°WALL TO GLASS




Feature: For 180°Wall To Glass Fixing Connector

Material: Brass

Door Thickness: 6mm To 12mm

Finish: Brushed Nickel (BN)
Bright Chrome Plated (CP)

GLASS DOOR SLIDING HANDLE (ROUND)




Material: Stainless Steel 304

Fit To Door Thickness: 8mm To 12mm

Finish: Sa?n Stainless Steel (SSS)
Bright Chrome Polish (CP)

GLASS DOOR SLIDING HANDLE (SQUARE)




Material: Stainless Steel 304

Fit To Door Thickness: 8mm To 12mm

Finish: Sa?n Stainless Steel (SSS)
Bright Chrome Polish (CP)

GLASS DOOR SLIDING HANDLE (RECTANGLE)



Material: Stainless Steel 304

Fit To Door Thickness: 8mm To 12mm

Finish: Sa?n Stainless Steel (SSS)
Bright Chrome Polish (CP)





Android



ipad



iPhone

i forte
premium

ARCHITECTURAL HARDWARE EXPERTS